

Date of Issue: 22-08-2022 Powder Number: LPP.K-20-11 Date of Revision: Version: 2.0

## SECTION 1: Identification of The Substance or Mixture and The Company/Undertaking

1.1. Product identification	
Product type:	Mixture
Product code:	LPP.K-20-11
Product group:	Powder

1.2. Relevant identified use of the substance or mixture and uses advised against		
1.2.1. Relevant identified uses		
Specific industrial/professional use: Industrial For professional use only		
1.2.2. Uses advised against		

No additional information available.

#### 1.3. Details regarding the supplier of the safety data sheet

Titomic Limited

info@titomic.com www.titomic.com

1.4. Emergency telephone number			
Country	Organisation / Company	Address	Emergency tel. number
THE NETHERLANDS	National Poisons Information Center (NVIC) University Medical Centre (UMC) Utrecht, The National Poisons Information Centre (NVIC) provides information for doctors, veterinary surgeons, pharmacists and other medical professionals about the potential health effects and treatment options in cases of poisoning. The NVIC can be reached 24 hours a day, both by telephone and Internet.	P.O. Box 85500 3508 GA Utrecht	+31 30 274 88 88

## **SECTION 2: Hazard Identification**

#### 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) no. 1272/2008 [CLP]

Flam. Sol. 1 H228 H261 Water-react. 2

For total text of H phrases: see section 16

Classification according to Directive 67/548/EEC or 1999/45/EC

F; R11

F; R15



#### **SAFETY DATA SHEET**

in accordance with Regulation (EC) no. 1907/2006 (REACH)

## MIXTURE OF ALUMINIUM OXIDE POWDER - ALUMINIUM POWDER - ZINC POWDER



Date of Issue: 22-08-2022 Date of Revision: Powder Number: LPP.K-20-11 Version: 2.0

For total text of R phrases: see section 16

#### Harmful physical-chemical, health and environmental effects

No additional information available

2.2. Label elements		
Labelling according to Regulation (EC) no. 1272/2008 [CLP]		
Hazard pictograms (CLP):	GHS02	
Signal word (CLP):	Hazard	
Hazard indication (CLP):	H228 – Flammable solid H261 – Flammable gases released when in contact with water	
Safety recommendations (CLP):	P210 - Keep away from open fire and sparks. Do not smoke P233 - Keep the packaging closed P241 - Use explosion-proof equipment P280 - Wear protective gloves, protective clothing and eye protection	
2.3. Other hazards		
Other hazards not included in the classification:	Can form flammable/explosive vapour-air mixtures.	

# **SECTION 3: Composition of And Information About Ingredients**

## 3.1. Substances

Not applicable

3.2. Mixture			
Name	Productidentification	%	Classification as laid down in Directive 67/548/EEC
zinc powder (96% pure)	(CAS no.) 7440-66-6 (EC no.) 231-175-3 (EU-Identification number) 030-001-01-9 (REACH no.) 01-2119467174-37	38-42	N; R50/53
Aluminium powder (99.6% pure)	(CAS no.) 7429-90-5 (EC no.) 231-072-3 (EU Identification number) 013-002-00-1 (REACH no.) 01-2119529243-45	33-37	F;R11 F;R15
Aluminium oxide powder (99.4% pure)	(CAS no.) 1344-28-1 (EC no.) 215-691-6 (REACH no.) 01-2119529248-35	23-27	Not classified
Name	Productidentification	%	Classification as laid down in Directive 67/548/EEC
zinc powder (96% pure)	(CAS no.) 7440-66-6 (EC no.) 231-175-3 (EU-Identification number) 030-001-01-9 (REACH no.) 01-2119467174-37	38-42	Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Aluminium powder (99.6% pure)	(CAS no.) 7429-90-5 (EC no.) 231-072-3 (EU Identification number) 013-002-00-1 (REACH no.) 01-2119529243-45 (CAS no.) 1344-28-1	33-37	Water-react. 2, H261 Flam. Sol. 1, H228



Date of Issue: 22-08-2022 Date of Revision: Powder Number: LPP.K-20-11 Version: 2.0

## **SECTION 4: First Aid Measures**

4.1. Description of first aid measures		
General first aid:	Never give anything by mouth to an unconscious person. If a person feels unwell, consult a physician (show the relevant label if possible).	
First aid following substance inhalation:	Allow victim to breathe fresh air. Allow victim to rest. In the event of a respiratory arrest, apply artificial respiration. Seek medical assistance if breathing difficulty persists.	
First aid following contact with skin:	Remove soiled clothing and wash or shower skin with plenty of water (for 15 minutes). Consult a physician if necessary.	
First aid following contact with eyes:	Rinse immediately with plenty of water. Rinse with lukewarm water for 15 minutes. Lift eyelids using fingers and flush the eyes with plenty of water. Seek medical assistance if pain or redness persists.	
First aid following ingestion:	Rinse the mouth thoroughly with water. DO NOT induce vomiting. Consult a physician immediately.	
4.2.	Main acute and delayed symptoms and effects	
Symptoms/injuries:	Not considered a serious hazard if used under normal circumstances.	
Symptoms/injuries following inhalation:	Symptoms of extreme exposure to vapour include: Coughing. Irritation of the throat and airways. Shortness of breath.	
Symptoms/injuries following contact with skin:	May cause minor irritation.	
Symptoms/injuries following contact with eyes:	May cause eye irritation.	
Symptoms/injuries following ingestion:	Diarrhoea. Irritation.	
Chronic symptoms:	Inhaling dust can result in respiratory irritation. Inhalation may cause allergy or asthma symptoms or breathing difficulties.	

## 4.3. Reporting the necessary immediate medical care and special treatment

No additional information available

# **Section 5: Firefighting Measures**

5.1. Extinguishing media	
Suitable extinguishing media:	Foam. Dry powder. Carbon dioxide. Sand.
Unsuitable extinguishing media:	Do not use extinguishing media containing water.





Date of Issue: 22-08-2022 Date of Revision: Powder Number: LPP.K-20-11 Version: 2.0

5.2. Special hazards arising from the substance or mixture		
Fire hazard: Can form a flammable and explosive vapour-air mixture.		
	5.3. Advice for firefighters	
Extinguishing instructions:	Cool the exposed vessels by spraying with water or water mist. Exercise extreme caution when fighting a chemical fire. Avoid discharging fire extinguishing water into the environment.	
Protection during firefighting:	Do not enter fire zone without suitable safety equipment/clothing, including protective breathing apparatus.	

# SECTION 6: Measures to Be Taken in The Event of Accidental Release of The Substance or Mixture

6.1. Personal prevention measures, protective equipment and emergency procedures		
General measures: Make sure there is adequate ventilation. Keep away from sources of ignition.		
6.1.1. For non-emergency personnel		
Emergency procedures:	Evacuate personnel to a safe place.	
6.1.2. For emergency personnel		
Protective equipment:	Provide cleaning personnel with suitable protection.	
Emergency procedures:	Ventilate the area.	

## 6.2. Environmental precautions

Do not discharge into sewage or public waters If pollution of lakes, rivers or sewage occurs, informed the responsible authorities in accordance with local regulations.

6.3. Methods and materials for containment and cleaning		
Cleaning methods	Sweep or scrape from the ground into suitable containers. Keep dust formation to a minimum. Store separately from other materials.	

#### 6.4. Reference to other sections

See section 8 for use of personal protection equipment. See section 13 for waste disposal after cleaning.





Date of Issue: 22-08-2022 Date of Revision: Powder Number: LPP.K-20-11 Version: 2.0

# **SECTION 7: Handling and Storage**

7.1. Precautions for safe handling of the substance or mixture		
Additional hazards associated with handling	Avoid contact with eyes and skin and do not inhale vapour and mist. Avoid creating dust.	
Precautions for safe handling of the substance or mixture	Wash hands and other exposed parts using gentle soap and water before eating, drinking, smoking or leaving the work environment. Make sure there is adequate ventilation in the handling area in order to prevent evaporation. No open fire. Smoking prohibited. Avoid contact with air.	

7.2. Safe storage conditions, including incompatible products		
Storage conditions:	Keep away from moisture. Keep containers closed when not in use. Store in a cool, dry, well-ventilated area.	
Incompatible substances:	Strong alkalines. Strong acids.	
Incompatible substances:	Remove all sources of ignition. Protect the product from direct sunlight.	

7.3. Specific end use(s)

industrial.

## SECTION 8: Measures to Control Exposure/Personal Protection

## 8.1. Control parameters

No additional information available

	8.2. Measures to control exposure
Suitable technical measures	Provide the area with local drainage/outlet or general ventilation. Keep away from sources of ignition. Emergency eye baths and safety showers should be installed in the vicinity of all exposure hazard areas.
	Avoid unnecessary exposure. Gloves. Safety goggles.
Personal protective equipment:	
Hand protection:	The manufacturer can provide the exact penetration time; bear this in mind at all times. Standard EN 374 - Gloves for protection against chemicals. Select glove material according to penetration times, rates of diffusion and the degradation. As a result of failed tests, no recommendation for glove material can be given for the product/ the preparation/ the chemical mixture. The choice of suitable gloves depends not only on the material, but also on other quality characteristics, and varies from one manufacturer to another.
Eye protection:	Safety goggles. Use protective eyewear that meets EN 166 requirements and which is designed to protect against dust particles.
Protection for the skin and body	Use suitable safety clothing/equipment.
Respiratory protection	Respiratory protection is recommended if exposure carries a risk of inhalation. No special respiratory protection equipment is recommended under normal conditions of use with adequate ventilation.
Other information	Do not eat, drink or smoke during use. Avoid contact with skin and eyes. Do not inhale the substance.





Powder Number: LPP.K-20-11 Date of Issue: 22-08-2022 Date of Revision: Version: 2.0

# **SECTION 9: Physical and Chemical Properties.**

h: No da elative evaporation rate (butyl acetate=1): No da lelting point: No da	der Grey
olour: Silver dour: Odou dour threshold: No da h: No da elative evaporation rate (butyl acetate=1): No da lelting point: No da	rless ata available ata available ata available ata available ata available ata available
dour:  dour threshold:  No da  h:  Ro da  lelative evaporation rate (butyl acetate=1):  No da  lelting point:  No da	rless ata available ata available ata available ata available ata available ata available
dour threshold:  No da  No da  lelative evaporation rate (butyl acetate=1):  No da  lelting point:  No da	ata available ata available ata available ata available ata available ata available
h: No da elative evaporation rate (butyl acetate=1): No da lelting point: No da	ata available ata available ata available ata available
elative evaporation rate (butyl acetate=1):  No da lelting point:  No da	ata available ata available ata available
elting point:  No da	ata available ata available
	ata available
oagulation/freezing point: No da	
	ata available
oiling point: No da	
ash point: No da	ata available
uto-ignition temperature: No da	ata available
nermolysis temperature: No da	ata available
ammability (solid, gas):	ammable
apour pressure: No da	ata available
elative vapour density at 20 °C: No da	ata available
elative density: No da	ata available
olubility: Produ	uct not soluble in water
og Pow: No da	ata available
iscosity, kinematic: No da	ata available
iscosity, dynamic:	ata available
xplosive properties: No da	ata available
xidising properties: No da	ata available
xplosion points: No da	ata available



Date of Issue: 22-08-2022 Date of Revision: Powder Number: LPP.K-20-11 Version: 2.0

#### 9.2. Other information

No additional information available

## **SECTION 10: Stability and Reactivity**

-	_		 _					
ш	П	- 1	н,	ea	$\sim$		V/I	-77
	v	т.	м	Ca	v	u	V II	

No additional information available

#### 10.2. Chemical stability

Stable under normal circumstances.

#### 10.3. Potentially hazardous reactions

Hazardous polymerisation: None.

#### 10.4. Conditions to avoid

Air, Damp.

#### 10.5. Chemically incompatible materials

Strong acids. Strong alkalines.

## 10.6. Hazardous decomposition products

Flammable hydrogen gas may be released on contact with metallic substances.

# **SECTION 11: Toxological Information**

	11.1. Information on toxological effects
Acute toxicity:	Not classified
Skin corrosion/irritation:	Not classified Classification criteria are not met based on available data
Serious eye damage/irritation:	Not classified Classification criteria are not met based on available data
Respiratory or skin sensitisation:	Not classified Classification criteria are not met based on available data
Germ cell mutagenicity:	Not classified Classification criteria are not met based on available data
Carcinogenicity:	Not classified Classification criteria are not met based on available data
Reproduction toxicity:	Not classified Classification criteria are not met based on available data
STOT-single exposure:	Not classified Classification criteria are not met based on available data



#### **SAFETY DATA SHEET**

in accordance with Regulation (EC) no. 1907/2006 (REACH)

## MIXTURE OF ALUMINIUM OXIDE POWDER - ALUMINIUM POWDER - ZINC POWDER



Date of Issue: 22-08-2022 Date of Revision: Powder Number: LPP.K-20-11 Version: 2.0

STOT-repeated exposure:	Not classified Classification criteria are not met based on available data
Inhalation hazard:	Not classified Classification criteria are not met based on available data
Potential hazardous effects on human health and potential symptoms:	Classification criteria are not met based on available data

# **SECTION 12: Ecological Information**

404 7		
12.1. T	OVIC	ITV/
46.4.	UAIC	ILY

No additional information available

12.2. Persistence and degradability		
Mixture of Aluminium oxide powder - Aluminium powder - Zincpowder		
Persistence and degradability	Not classified	
Aluminium oxide powder (1344-28-1)		
Persistence and degradability	Not classified	

	12.3. Bioaccumulation	
Mixture of Aluminium oxide powder - Aluminium powder - Zinc powder		
Bioaccumulation	Not classified	
Aluminium oxide powder (1344-28-1)		
Bioaccumulation	Not classified	

124	Mohi	litv	insoil
44.7.		псу	1113011

No additional information available

#### 12.5. Results of PBT and zPzB assessments

No additional information available

#### 12.6. Other adverse effects

Avoid discharge into the environment



titomic.com



Powder Number: LPP.K-20-11 Date of Issue: 22-08-2022 Date of Revision: Version: 2.0

# **SECTION 13: Disposal instructions**

13.1. Waste treatment methods		
Recommendations for waste disposal:	Dispose of safely and in accordance with local/national regulations.	
Ecology - waste products:	Avoid discharge into the environment.	

## **SECTION 14: Transport Information**

In accordance with ADR/RID/IMDG/IATA regulations.

	14.1. UN number
UN no.:	Not classified
UN no. (IATA):	Not classified
UN no. (IMDG):	Not classified
UN no. (ADN):	Not classified
14.	2. Correct shipping name in accordance with the UN Model Regulations
Correct shipping name	Metal powder
	14.3. Transporthazardsclass
Class (VN):	-
Classification code (VN):	-
Class (IATA):	-
Class (IMDG):	-
Class (ADN):	-
Hazard labels (UN):	-
	14.4. Packing group
Packing group (UN):	-
	14.5. Environmental hazards
Other information:	No additional information available
	14.6. Special precautions for the user
This material is tested according to U	JN criteria and is classified as non-flammable
14.7. T	ransport in bulk according to Annex II of MARPOL 73/78 and the IBC Code
Not applicable	













Date of Issue: 22-08-2022 Date of Revision: Powder Number: LPP.K-20-11 Version: 2.0

## **SECTION 15: Regulations**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU regulations

No limitations in accordance with Annex XVII of REACH Do not contain REACH substance candidate list

#### 15.1.2. National regulations

No additional information available

#### 15.2. Chemical safety evaluation

No chemical safety evaluation has been conducted

## **SECTION 16: Other Information**

Sources of data:	EC Regulation no. 1272/2008 OF THE EUROPEAN PARLIAMENT AND THE COUNCIL OF 16 December 2008 re. the classification, labelling and packing of substances and mixtures as amended and repealed in Regulation 67/548/EEC and 1999/45/EC and as amended in EC Regulation no. 1907/2006.
Other information:	REACH Declaration: All information is based on current knowledge. Consistency of the information listed in this Safety Data Sheet with the information in the Chemical Safety Report is considered to the extent available at the time of compilation (see version number and date of revision).  EXCLUSION OF LIABILITY The information provided in this sheet has been gathered from sources which, to the best of our knowledge, are reliable. However, the information was provided without any express or implied regarding its correctness. Conditions regarding the handling, storage, use or disposal of the product fall beyond the scope of our control and also possibly beyond the scope of our knowledge. For this and other reasons, we shall not assume any responsibility for, and expressly disclaim liability for, any loss, damage or expense whatsoever resulting from the handling, storage, use or disposal of the product.

#### For total content of R, H and EUH phrases:

Flam. Sol. 1	Flammable solids, Category 1
Water-react. 2	Substances and mixtures which develop flammable gases when in contact with water, Categories 2
H228	Flammable solid
H261	Flammable gases released when in contact with water
R11	Highly flammable
R15	Forms extremely flammable gas when in contact with water
F	Highly flammable

## SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purpose of the health, safety and environmental aspects of its use. It should therefore not be regarded as a guarantee for any specific property of the product.









