SAFETY DATA SHEET

in accordance with Regulation (EC) no. 1907/2006 (REACH)

MIXTURE OF ALUMINIUM OXIDE POWDER - NICKEL POWDER



Date of Issue: 22-08-2022 Version: 2.0 Date of Revision: Powder Number: LPP.K-32

SECTION 1: Identification of The Substance or Mixture and The Company/Undertaking

	1.1 Productidentification
Product type:	Mixture
Product code:	LPP.K-32

1.2. Relevant identified use of the substance or mixture and uses advised against	
1.2.1 Relevant identified uses	
Specific industrial/professional use Industrial For professional use only	
1.2.2. Uses advised against	

No additional information available

1.3. Details regarding the supplier of the safety data sheet

Titomic Limited info@titomic.com

www.titomic.com

1.4. Emergency telephone number			
Country	Organisation / Company	Address	Emergency tel. number
THE NETHERLANDS	National Poisons Information Center (NVIC) University Medical Centre (UMC) Utrecht, The National Poisons Information Centre (NVIC) provides information for doctors, veterinary surgeons, pharmacists and other medical professionals about the potential health effects and treatment options in cases of poisoning. The NVIC can be reached 24 hours a day, both by telephone and Internet.	P.O. Box 85500 3508 GA Utrecht	+31 30 274 88 88

SECTION 2: Hazard Identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) no. 1272/2008 [CLP]

Skin Sens. 1 H317 Carc. 2 H351 STOT RE1H372 Aquatic Chronic 3 H412

For total text of H phrases: see section 16

Harmful physical-chemical, health and environmental effects

No additional information available





Date of Issue: 22-08-2022 Date of Revision: Powder Number: LPP.K-32 Version: 2.0

2.2. Label elements		
Labelling according to Regulation (EC) no. 12	72/2008 [CLP]	
Hazard pictograms (CLP):	GHS07 GHS08	
Signal word (CLP):	Hazard	
Hazardous elements:	Nickel powder	
Hazard indication (CLP):	H317 - Can cause an allergic skin reaction H351 - Thought to be carcinogenic (on inhalation, on contact with skin) H372 - Long term or repeated exposure causes damage to organs H412 - Poisonous to aquatic organisms, with long-term consequences	
Safety recommendations (CLP):	P201 - Consult special instructions before use P202 - Use only after you have read and understood all safety instructions P260 - do not inhale substance P264 - Wash hands, lower arms and face after working with this product. P270 - Do not eat, drink or smoke during use van this product P272 - Soiled clothing may not be removed from the area.	
EUH phrases:	EUH208 - contains nickel powder (7440-02-0). Can cause allergic reactions	
	2.3. Other hazards	
No additional information available.		

SECTION 3: Composition of And Information About Ingredients

3.1. Substances

Not applicable

3.2. Mixture			
Name	Productidentification	%	Classification as laid down in Directive 67/548/EEC
Nickel powder (99% pure)	(CAS no.) 7440-02-0 (EG no) 231-111-4 (EU Identification number) 028-002-00-7	55-59	Carc.Cat.3; R40 T; R48/23 R43
Aluminium oxide powder (99.4% pure)	(CAS no.) 1344-28-1 (EC no.) 215-691-6 (REACH no.) 01-2119529248-35	41-45	Not classified



titomic.com



Date of Issue: 22-08-2022 Version: 2.0 Date of Revision: Powder Number: LPP.K-32

3.2. Mixture			
Name	Productidentification	%	Classification according to Regulation (EC) no. 1272/2008 [CLP]
Nickel powder (99% pure)	(CAS no.) 7440-02-0 (EG no) 231-111-4 (EU Identification number) 028-002-00-7	55-59	Skin Sens. 1, H317 Carc. 2, H351 STOT RE 1, H372 Aquatic Chronic 3, H412
Aluminium oxide powder (99.4% pure)	(CAS no.) 1344-28-1 (EC no.) 215-691-6 (REACH no.) 01-2119529248-35	41-45	Not classified

For total content of R and H phrases: see section 16

SECTION 4: First Aid Measures

4.1. Description of first aid measures		
General first aid:	Never give anything by mouth to an unconscious person. If a person feels unwell, consult a physician (show the relevant label if possible).	
First aid following substance inhalation.:	Allow victim to breathe fresh air. Allow victim to rest. Seek medical assistance if any adverse effects develop.	
First aid following contact with skin:	Remove soiled clothing and wash or shower skin with plenty of water (for 15 minutes). Consult a physician if necessary. Wash with plenty of soap and water. Consult a physician. Wash soiled clothing before reusing.	
First aid following contact with eyes:	Rinse immediately with plenty of water. Lift eyelids using fingers and flush the eyes with plenty of water. Seek medical assistance if pain or redness persists.	
First aid following ingestion:	Rinse the mouth thoroughly with water. Give victim water to drink. Consult a physician immediately. Induce vomiting if the victim is conscious.	
4.2. Main acute and delayed symptoms and effects		
Symptoms/injuries following inhalation.:	Inhalation may cause allergy or asthma symptoms or breathing difficulties. Irritation of the airways. Shortness of breath. Coughing.	
Symptoms/injuries following contact with skin:	Can cause allergic reactions Skin irritation.	
Symptoms/injuries following contact with eyes:	May cause eye irritation.	

4.3. Reporting the necessary immediate medical care and special treatment

No additional information available

Section 5: Firefighting Measures

	5.1. Extinguishing media
Suitable extinguishing media:	Foam. Dry powder, sand.
Unsuitable extinguishing media:	Do not use extinguishing media containing water.





Date of Issue: 22-08-2022 Date of Revision: Powder Number: LPP.K-32 Version: 2.0

5.2. Special hazards arising from the substance or mixture		
Fire hazard:	Not flammable.	
Explosion hazard: No immediate explosion hazard.		
5.3. Advice for firefighters		
Extinguishing instructions:	Cool the exposed vessels by spraying with water or water mist. Exercise extreme caution when fighting a chemical fire. Avoid discharging fire extinguishing water into the environment.	
Protection during firefighting:	Do not enter fire zone without suitable safety equipment/clothing, including protective breathing apparatus.	

SECTION 6: Measures to Be Taken in The Event of Accidental Release of The Substance Or Mixture

6.1. Personal prevention measures, protective equipment and emergency procedures		
6.1.1. For non-emergency personnel		
Emergency procedures: Evacuate personnel to a safe place.		
6.1.2. For emergency personnel		
Protective equipment: Provide cleaning personnel with suitable protection.		
Emergency procedures:	Ventilate the area.	

6.2. Environmental precautions

Do not discharge into sewage or public waters If pollution of lakes, rivers or sewage occurs, informed the responsible authorities in accordance with local regulations. Avoid discharge into the environment.

6.3. Methods and materials for containment and cleaning	
Cleaning methods:	Sweep or scrape from the ground into suitable containers. Keep dust formation to a minimum. Store separately from other materials.

6.4. Reference to other sections

 $See \, section \, 13 \, for \, was te \, disposal \, after \, cleaning. \, See \, section \, 8 \, for \, use \, of \, personal \, protection \, equipment.$

SECTION 7: Handling And Storage

7.1 Precautions for safe handling of the substance or mixture		
Additional hazards associated with handling:	Make sure there is adequate ventilation. Avoid creating dust. Avoid contact with skin and eyes. Do not inhale the substance. Do not swallow. If swallowed, seek medical attention immediately.	





Date of Issue: 22-08-2022 Version: 2.0 Date of Revision: Powder Number: LPP.K-32

7.1 Precautions for safe handling of the substance or mixture		
Precautions for safe handling of the substance or mixture:	Wash hands and other exposed parts using gentle soap and water before eating, drinking, smoking or leaving the work environment. Make sure there is adequate ventilation in the handling area in order to prevent evaporation. Consult special instructions before use P202 - Use only after you have read and understood all safety instructions	
Hygienic measures:	P272 - Soiled clothing may not be removed from the area. Wash soiled clothing before reusing. Do not eat, drink or smoke when using this product.	
7.2. Safe storage conditions, including incompatible products		
Storage conditions:	Keep containers closed when not in use. Store in a cool, dry, well-ventilated area.	
Incompatible substances:	Strong alkalines. Strong acids.	
Incompatible substances:	Avoid contact with air.	
Incompatible substances:	Avoid contact with air. 7.3. Specific end use(s)	

SECTION 8: Measures to Control Exposure/Personal Protection

8.1. Control parameters

No additional information available

8.2. Measures to control exposure	
Suitable technical measures:	Emergency eye baths and safety showers should be installed in the vicinity of all exposure hazard areas. Provide the area with local drainage/outlet or general ventilation. Do not exceed exposure limits (VLE/MAC).
Personal protective equipment:	Avoid unnecessary exposure. Wear suitable protective clothing. Wear mask in presence of dust. Gloves. Safety goggles.
Hand protection:	The manufacturer can provide the exact penetration time; bear this in mind at all times. Select glove material according to penetration times, rates of diffusion and the degradation. As a result of failed tests, no recommendation for glove material can be given for the product/ the preparation/ the chemical mixture. Standard EN 374 - Gloves for protection against chemicals. The choice of suitable gloves depends not only on the material, but also on other quality characteristics, and varies from one manufacturer to another.
Eye protection:	Safety goggles.
Protection for the skin and body:	Use suitable safety clothing/equipment.
Respiratory protection:	If exposure to airborne dust concentrations is prolonged, wear a respirator that meets European or national requirements.
Other information:	Do not eat, drink or smoke during use.



titomic.com

in accordance with Regulation (EC) no. 1907/2006 (REACH)

MIXTURE OF ALUMINIUM OXIDE POWDER - NICKEL POWDER



Date of Issue: 22-08-2022 Version: 2.0 Date of Revision: Powder Number: LPP.K-32

SECTION 9: Physical and Chemical Properties

9.1. Informa	9.1. Information about basic physical and chemical properties	
Physical state:	Solid	
Colour:	Grey.	
Odour:	Odourless.	
Odour threshold:	No data available	
pH:	No data available	
Relative evaporation rate (butyl acetate=1):	No data available	
Melting point:	No data available	
Coagulation/freezing point:	No data available	
Boiling point:	No data available	
Flash point:	No data available	
Auto-ignition temperature:	No data available	
Thermolysis temperature:	No data available	
Flammability (solid, gas):	Not flammable	
Vapour pressure:	No data available	
Relative vapour density at 20 °C:	No data available	
Relative density:	No data available	
Solubility:	Product soluble in water.	
Log Pow:	No data available	
Viscosity, kinematic:	No data available	
Viscosity, dynamic:	No data available	
Explosive properties:	No data available	
Oxidising properties:	No data available	
Explosion points	No data available	
	9.2 Other information	

	9.2. Other information	
No additional information available		



in accordance with Regulation (EC) no. 1907/2006 (REACH)

MIXTURE OF ALUMINIUM OXIDE POWDER - NICKEL POWDER



Date of Issue: 22-08-2022 Date of Revision: Powder Number: LPP.K-32 Version: 2.0

SECTION 10: Stability and Reactivity

React	

No additional information available

10.2. Chemical stability

Stable at room temperature and with normal use.

10.3. Potentially hazardous reactions

Not classified

10.4. Conditions to avoid

Store and use away from heat, spraks, open flame or any other ignition source.

10.5. Chemically incompatible materials

Avoid contact with combustible materials, acids, oxidizing agents, halogenated hydrocarbons.

10.6. Hazardous decomposition products

Flammable hydrogen gas may be released on contact with metallic substances.

SECTION 11: Toxological Information

11.1. Information on toxological effects	
Acute toxicity:	Not classified
Mixture of Aluminium oxide powder - Nickel powder	
LD50 oral rat	> 9000 mg/kg
nickel powder (7440-02-0)	
LD50 oral rat	> 9000 mg/kg (Rat; Experimental value, Rat; Experimental value)
Skin corrosion/irritation:	Not classified Classification criteria are not met based on available data
Serious eye damage/irritation:	Not classified Classification criteria are not met based on available data
Respiratory or skin sensitisation:	Can cause allergic reactions
Germ cell mutagenicity:	Not classified Classification criteria are not met based on available data
Carcinogenicity:	Thought to be carcinogenic (on inhalation, on contact with skin)
Reproduction toxicity:	Not classified Classification criteria are not met based on available data
STOT-single exposure:	Not classified Classification criteria are not met based on available data









(iii) titomic.com



Date of Issue: 22-08-2022 Version: 2.0 Date of Revision: Powder Number: LPP.K-32

11.1. Information on toxological effects	
STOT-repeated exposure:	H372 - Long term or repeated exposure causes damage to organs
Inhalation hazard:	Not classified Classification criteria are not met based on available data
Potential hazardous effects on human health and potential symptoms:	Potential hazardous effects on human health and potential symptoms

SECTION 12: Ecological Information

Section 12. Ecological information		
12.1. Toxicity		
Nickel powder (7440-02-0)		
EC50 Daphnia 1	0.013 mg/l (48 h; Ceriodaphnia dubia; Nikkelion)	
<u>'</u>		
12.2. Persistence and degradability		
Mixture of Aluminium oxide powder - Nickel powder		
Persistence and degradability	Not classified	

Persistence and degradability	NOLCIASSITIEU
Aluminium oxide powder (1344-28-1)	
Persistence and degradability	Not classified

12.3. Bioaccumulation	
Mixture of Aluminium oxide powder - Nickel powder	
Bioaccumulation	Not classified
Aluminium oxide powder (1344-28-1)	
Bioaccumulation	Not classified
12.4. Mobility in soil	
No additional information available	

12.5. Results of PBT and zPzBassessments

No additional information available

12.6. Other adverse effects
Avoid discharge into the environment

SECTION 13: Disposal Instructions

13.1. Waste treatment methods		
Recommendations for waste disposal:	Dispose of safely and in accordance with local/national regulations. P501 - Dispose of content/packaging at a recognised waste disposal centre	
Ecology - waste products:	Avoid discharge into the environment.	

titomic.com



Date of Issue: 22-08-2022 Version: 2.0 Date of Revision: Powder Number: LPP.K-32

SECTION 14: Transport Information

In accordance with ADR/RID/IMDG/IATA regulations.

14.1. UN number		
UN no.:	Not regulated	
UN no. (IATA):	Not regulated	
UN no. (IMDG):	Not regulated	
UN no. (ADN):	Not regulated	

14.2. Correct shipping name in accordance with the UN Model Regulations

Not applicable

14.3. Transport hazards class		
Class (VN):	-	
Classification code (VN):		
Class (IATA):	-	
Class (IMDG):	-	
Class (ADN)	-	

14.4. Packing group

Packing group (UN)

14.5. Environmental hazards	
Other information:	No additional information available

14.6. Special precautions for the user		
Transport within the users premisis:	always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.	

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulations

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU regulations

No limitations in accordance with Annex XVII of REACH Do not contain REACH substance candidate list

15.1.2. National regulations

No additional information available



(iii) titomic.com

in accordance with Regulation (EC) no. 1907/2006 (REACH)

MIXTURE OF ALUMINIUM OXIDE POWDER - NICKEL POWDER



Date of Issue: 22-08-2022 Date of Revision: Powder Number: LPP.K-32 Version: 2.0

15 2	\sim	hemica	Cofo	tu ouo	luation
13.2.	u	Hellica	ISale	LV EVA	luation

No chemical safety evaluation has been conducted.

SECTION 16: Other Information

Sources of data:	EC Regulation no. 1272/2008 OF THE EUROPEAN PARLIAMENT AND THE COUNCIL OF 16 December 2008 re. the classification, labelling and packing of substances and mixtures as amended and repealed in Regulation 67/548/EEC and 1999/45/EC and as amended in EC Regulation no. 1907/2006.
Other information:	REACH Declaration: All information is based on current knowledge. Consistency of the information listed in this Safety Data Sheet with the information in the Chemical Safety Report is considered to the extent available at the time of compilation (see version number and date of revision). EXCLUSION OF LIABILITY The information provided in this sheet has been gathered from sources which, to the best of our knowledge, are reliable. However, the information was provided without any express or implied regarding its correctness. Conditions regarding the handling, storage, use or disposal of the product fall beyond the scope of our control and also possibly beyond the scope of our knowledge. For this and other reasons, we shall not assume any responsibility for, and expressly disclaim liability for, any loss, damage or expense whatsoever resulting from the handling, storage, use or disposal of the product.

For total content of R, H and EUH phrases:		
Aquatic Chronic 3	Chronic danger for the aquatic environment, Category 3	
Carc. 2	Carcinogenicity, Category 2	
Skin Sens.1	Skin sensitivity, Category 1	
STOT RE1	Specific target organ toxicity on repeated exposure, Category 1	
H317	Can cause allergic reactions	
H351	Thought to be carcinogenic	
H372	Long term or repeated exposure causes damage to organs	
H412	Poisonous to aquatic organisms, with long-term consequences	
R40	Possible carcinogenic effects	
R43	Can cause oversensitivity reactions following contact with skin	
R48/23	Toxic: danger of serious damage to health as a result of prolonged exposure through inhalation	
R52/53	Harmful to aquatic organisms,; can have long-term adverse effects on the aquatic environment.	
Т	Toxic	

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purpose of the health, safety and environmental aspects of its use. It should therefore not be regarded as a guarantee for any specific property of the product.

